
PRODUCT CATALOGUE

RETAINING WALLS | PAVING | WATER FEATURES & MORE








VISIT OUR SHOWROOM FOR SOME IDEAS AND INSPIRATION

NOTES

Drop into our Blacktown showroom at 98 Richmond Road, and see the difference. We are only minutes from the M4 and the M7 in Sydney.

Bidwill	Hassall Grove M Dean Park	ARTING MT		A	Parkled cacla prdens	E2 HERSon;	Church Q
um 1	Oakhurst	-		ings Park Perma	40 Gle	nwood Bella	
Hebersham	Glender	ming /	Marayong		Konsla	≤ 1	
11	Plumpton		a national	A D			
I I	Nurragingy Rot	Doonside	Featherdale Wildlife Park	Masonry and Slate		11	~
Mount Druitt	Rooty Hall	A	and a start of	Macktown	Lalor Park	1	
		llungambee	1		st. Seven Hills	21	
		1		11	73	Te	oongabbie Old
-	Mischinbury	Arndell		t t			
K.	. 1		Huntingwood Weste	in Sharpen	cospect	Geraween	
	-	Western Sydney Parklands	Prospect Nature Reserve	turne a	ing Waters Sydney		Pendle Hill
				and the second se			

Google and the Google logo are registered trademarks of Google LLC, used with permission.



TASMAN

This quality, near vertical retaining wall system is a great do it yourself solution. No concrete footings are needed and they are flexible. You can achieve anything from 90° corners, steps, straight and even curved walls.

DESCRIPTION	CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	QTY	PALLET QTY
Tasman Full Block	225-01	390	225	200	13 /m²	75
Tasman Full Corner	225-34	145	340	200		
Tasman Half Corner	225-14	145	235	200		
Tasman Full Cap	60-240	390	240	60	2.5/m	120
Tasman Half Cap	60-230	200	225	60	5 /m	300

Roma

AVAILABLE COLOURS





Appin Stone Penrose

Penrose

Tasman Full Cap



Bushrock





NORFOLK

Tasman Wall Block

This economic, low maintenance retaining wall system is a great do it yourself solution. No mortar is requires and is structurally sound. You can achieve both straight and curved walls.

DESCRIPTION	CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	QTY	PALLET QTY
Norfolk Block	020-144	390	190	180	14 /m²	90
Norfolk Capping Block	020-146	390	190	180	2.56 /m	90

AVAILABLE COLOURS



Appin Stone



Penrose



Roma



Basalt



Tasman Half Cap

Yellow Rock



Norfolk Block



Bushrock

Norfolk Capping Block



www.masonryandslate.com.au | PH 02 9679 9680

WET CAST CONCRETE Hewnstone

This range is in the 400 x 400 x 40mm size. The Hewnstone range is available in two finishes – smooth and course. Tile thickness (20mm) is also possible. Any colour is available for any of our paving range. Matching bullnose is available for both finishes as well as 'square edge' bullnose.



WET CAST CONCRETE Courtstone

The Courtstone paver has cobbled edges for the antique appearance. It is only available in the $580 \times 400 \times 40$ mm size (tile thickness is possible).





WET CAST CONCRETE Formpave

Formpave is available in 600 x 400 x 40mm. It has a matching bullnose for around pools or stairs.

DESCRIPTION	CODE	LENGTH (mm)	WIDTH (mm)	THICK (mm)	
Formpave Paver		580	400	40	
Formpave Bullnose		600	400	40	Courtstone Texture
Formpave Pave	er	Formp	ave Bullnos	e	




WET CAST CONCRETE Colours



WET CAST CONCRETE Classic

The Classic is available in 500 x 500 x 35mm with a matching bullnose the same size at 500 x 500 x 35mm. The texture is subtle and looks relatively smooth from a distance.





WET CAST CONCRETE Dapple

The Dapple finish is available in two sizes – 500 x 500 x 35mm and 500 x 350 x 40mm. The bullnose is available in 500 x 500 x 40mm.

Dapple Texture





Gangsawn WET CAST CONCRETE

The Gangsawn is available in 450 x 450 x 40mm size (tile thickness is also available). The matching bullnose is 450 x 350 x 40mm with the bullnose on the 450mm side.

DESCRIPTION	CODE	LENGTH (mm)	WIDTH (mm)	THICK (mm)
Gangsawn Paver		500	500	35
Gangsawn Bullnose		500	500	35





Gangsawn Texture

WET CAST CONCRETE Colours















Silvermist

Coffee

Sunset

Honeycomb

Terracotta

Bush

Suede

Charcoal

www.masonryandslate.com.au | PH 02 9679 9680

COLOURSTONE Easy Pave

Easy Pave pavers are suitable for driveway applications for domestic vehicles, landscape terraces and footpaths.





COLOURSTONE Metric Pave

Metric Range pavers are suitable for residential driveways, pedestrian footpaths, malls and minor roads





BROADWAY Pavers

Broadway pavers are ideal for everday living ideas, in courtyards, paths and other outdoor spaces.

DESCRIPTION	CODE	LENGTH (mm)	WIDTH (mm)	THICK (mm)	WEIGHT (Kg)	PALLET QTY
Broadway Paver 300		300	300	50	9.8	
Broadway Paver 400		400	400	45	16	

AVAILABLE COLOURS





SEALING PRODUCTS

We have a great range of sealing products from leading companies such as Drytreat, Environex and SRW for your pavers, retaining walls and natural stone to keep it looking as good as new.

WHY SEAL STONE OR TILES?

Natural stone and tiles are porous by nature. If you want to protect your investment, we highly recommend sealing. Sealing prevents and reduces dis-colouration and staining that will occur overtime.







CONTACT US FOR MORE DETAILS

SPLITFACE

This quality, near vertical retaining wall system is a great do it yourself solution. No concrete footings are needed and they are flexible. You can achieve anything from 90° corners, steps, straight and even curved walls.

DESCRIPTION	CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	QTY	PALLET QTY
100 Split Face Block	10-121	390	90	190	14 /m²	144
100 Split Face Half Block	10-123	190	90	190	28/m²	288
200 Split Face Block	20-121	390	190	190	14 /m²	90
200 Split Face Half Block	20-123	190	190	190	28/m²	180
200 Coloured Caping	50-31	390	195	40	5 /m	288

AVAILABLE COLOURS



Opal White Appin Stone

390

190

1 40

Penrose



190


90



Yellow Rock

190

190



Basalt



SMOOTHFACE

390

This quality, near vertical retaining wall system is a great do it yourself solution. No concrete footings are needed and they are flexible. You can achieve anything from 90° corners, steps, straight and even curved walls.

DESCRIPTION	CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	QTY	PALLET QTY
100 Split Face Block	10-121	390	90	190	14 /m²	144
100 Split Face Half Block	10-123	190	90	190	28/m²	288
200 Split Face Block	20-121	390	190	190	14 /m²	90
200 Split Face Half Block	20-123	190	190	190	28/m²	180
200 Coloured Caping	50-31	390	195	40	5 /m	288

AVAILABLE COLOURS



Roma


Opal White Appin Stone

Bushrock





40



Basalt



NATURESTONE Rock Face Blocks

Achieve the beauty of natural stone as well as the structural properties of concrete masonry blocks! Nature stone is easy to lay, easy to reinforce and cost effective.

DESCRIPTION	CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	QTY	PALLET QTY
Rock Face Full Block	CODE 20NS RF	390	220	190	13 /m²	75
Rock Face Half Block	CODE 20NS RF 1/2	190	220	190		
Rock Face Full Corner	CODE 20NS RF CNR	420	220	190		
Rock Face Half Corner	CODE 20NS RF 1/2CNR	220	220	190	2.5/m	120
Cap Rock Face	CODE NS CAP RF	400	260	60	5 /m	300
Corner Cap Rock Face	CODE NS CNR CAP RF	400	260	60		

note: natural stone can have a variance of +/- 10mm



NatureStone Rock Face Full Block



NatureStone Rock Face Half Corner



NatureStone Rock Face Half Block



NatureStone Cap Rock Face



NatureStone Rock Face Full Corner



NatureStone Corner Cap Rock Face



NATURESTONE Honed Blocks

Achieve the beauty of natural stone as well as the structural properties of concrete masonry blocks! Nature stone is easy to lay, easy to reinforce and cost effective.

DESCRIPTION	CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	QTY	PALLET QTY
Honed Full Block	CODE 20NS H	390	220	190	13 /m²	75
Honed Half Block	CODE 20NS H1/2	190	220	190		
Honed Full Corner	CODE 20NS H CNR	420	220	190		
Honed Half Corner	CODE 20NS H 1/2CNR	220	220	190	2.5 /m	120
Cap Honed Face	CODE NS CAP H	400	260	60	5/m	300
Corner Cap Honed	CODE NS CNR CAP H	400	260	60		

note: natural stone can have a variance of +/- 10mm



NatureStone Rock Face Full Block



NatureStone Rock Face Half Corner



NatureStone Rock Face Half Block



NatureStone Cap Rock Face



NatureStone Rock Face Full Corner



NatureStone Corner Cap Rock Face



www.masonryandslate.com.au | PH 02 9679 9680

STONEFACE Stone Face Blocks

StoneFace™ is a new concept in architectural masonry developed by Baines Masonry. This is a reconstituted stone finish inspired by our unique Australian landscape, both rugged and stunning, and comes in four finishes. .





YellowRock Blend





OpalRock Blend

StoneFace[™] full blocks come in 6 profiles











DESCRIPTION	CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)
StoneFace Standard Full Block	LB/SF 20-91	398	230	198
StoneFace Full End Block Single Face	LB/SF 20-92	390	230	198
StoneFace Double Face Full End Corner	LB/SFD 20-92	420	230	198
StoneFace Double Face Finger End Corner	LB/SFDF 20-92	420	230	198
StoneFace Half End Block Single Face	LB/SF 20-93	190	230	198
StoneFace Half Double Face End Corner	LB/SFD 20-93	190	230	198
StoneFace Half Double Face Finger End Corner	LB/SFDF 20-93	190	230	198
StoneFace Capping	SF CAPPING	500	300	40

note: StoneFace can have a variance of +/- 10mm



StoneFace Standard Full Block -1 Face



StoneFace Half End Block-1 Face Half Corner-1 Face + 1 End



Full End Block -1 Face



StoneFace Full Corner -1 Face + 1 End



Cap Stone -1 Face

Note: Full Corners and Half Corners are universal. No right hand and left hand corners required.





ASK US! STONEFACE Veneer options also available

StoneFace

GARDEN EDGE

Metric Range pavers are suitable for residential driveways, pedestrian footpaths, malls and minor roads $% \left({{{\rm{T}}_{{\rm{T}}}}_{{\rm{T}}}} \right)$

DESCRIPTION	CODE	LENGTH (mm)	WIDTH (mm)	THICK (mm)	WEIGHT (Kg)	PALLET QTY
Garden Edge Blocks and corners		366	190	70		
Garden Edge Solid		390	90	90		
Garden Edge 60ml metric	60-230	200	100	60	50	30

Garden Edge Blocks and coners

AVAILABLE COLOURS



Appin Stone









Charcoal



Opal White Appin Stone

Bushrock Basalt

Garden 60ml metric



Bushrock	Charcoal	Appin Stone	Berrima

GARDENSTONE

This easy to use, do it yourself garden edging is flexible for straight and curved borders. They come double faced. No concrete is required and only weighs 8kg per block

DESCRIPTION	CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	QTY	PALLET QTY
Appin Stone cap	GSBAS:Cap	210	190	120	40/m ²	180
Appin Stone Block	GSCASBlock	210	190	120	4.8 /m	180
Basalt Cap	GSBBA:Cap	210	190	120	40/m ²	180
Basalt Block	GSBBA	210	190	120	4.8 /m	180

AVAILABLE COLOURS



Appin Stone Charcoal







Gardenstone Capping Block



www.masonryandslate.com.au | PH 02 9679 9680

SLEEPERS Wallaroo Smooth Face

Wallaroo sleepers are manufactured from high strength concrete and reinforced steel. This easy to install system uses steel posts, a combination of 'H' section and channels to build any wall. Sleepers can be cut to any length.

DESCRIPTION	CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (Kg)	PALLET QTY
Wallaroo Smooth Face	12-101	1800	80	200	65	30
AVAILABLE COLOURS						
Natural Grey	and the second	H	lavana Brow	'n		
Tuscan Sun			Santorini Bla	ack		



SLEEPERS Wallaroo Woodgrain

Wallaroo sleepers are manufactured from high strength concrete and reinforced steel. This easy to install system uses steel posts, a combination of 'H' section and channels to build any wall. Sleepers can be cut to any length.

DESCRIPTION	CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (Kg)	PALLET QTY
Wallaroo Woodgrain	12-101	1800	80	200	65	30
AVAILABLE COLOURS						
Snow Gum			ron Bark			
Highland Pine		B	Black Wattle			




SLEEPERS Wallaroo Rock-Face

Wallaroo sleepers are manufactured from high strength concrete and reinforced steel. This easy to install system uses steel posts, a combination of 'H' section and channels to build any wall. Sleepers can be cut to any length.







www.designerwaterfeatures.com.au | PH 02 9679 9680


Wall Features

Hand crafted from volcanic stone any wall can be designed to your specifications. All wall packages include: stone base, pump, mesh, pebbles (black or white)

Stainless steel lighting is additional & very highly recommended, this creates an amazing abundance.



Stone, Copper or Stainless Steel Materials



Cherry Blossom

Black Squares



Citylife

Black Louver

Sunset


Grapevine



Bocci Balls



Dandelion



Shiny Louver

Tulip



Shiny Squares

solid base for walls/towers is preferred: concrete slab should be 80mm (deep) or levelled solid crushed rock base with pavers

Size





PH 02 9679 9680 | www.designerwaterfeatures.com.au

Tower Water Features


Hand crafted from volcanic stone any copper insert or stainless steel tower can be designed to your specifications.

Stainless steel lighting is additional and highly recommended as it creates an amazing ambience.





www.designerwaterfeatures.com.au | PH 02 9679 9680



Sculptural Features

Modern and contemporary, these statues would look magnificent in any home and can be utilised for both indoor and outdoor use






Kotak Rectangular

PH 02 9679 9680 | www.designerwaterfeatures.com.au

Stone Water Packages

Our water packages come in a huge range of styles. Any of the pots or bowls can be converted into an overflowing water feature or a bubbler feature. Call us for advice










Customising your own water feature

We can provide custom fibreglass ponds to any suit any area

Stone Water features typically come as packages, but you can customise your own design. Ask our expert personnel now on 02 9679 9680






Water Feature Packages

XL Gentong Package Large Gentong Package Small Gentong Package: (poly pond/grate) Small Gentong Package: (stone pond/grate) I.0m (Ellipse, Raven, Water, Shallow) Bowl Package 80cm (Ellipse, Raven, Water, Shallow) Bowl Package Tall Stand (Tapered, Round, Grove, Square) Bowl Package Medium Stand (Tapered, Round, Grove, Square) Bowl Package 30cm Stone Ball Package 50cm Stone Ball Package 70cm Stone Ball Package 3 Pots Kendang Package Stainless Steel Wet Edge Package Dimple(Bronze/Black) Jar Package Ginger(Bronze /Back) Jar Package Saffron (Ancient Rust) Jar Package Cinnamon (Ancient Rust) Jar Package

packages inc polypond, grate, pump, pebbles.


Stone Water Components




PH 02 9679 9680 | www.designerwaterfeatures.com.au



Architectural Bowls



www.designerwaterfeatures.com.au | PH 02 9679 9680





PH 02 9679 9680 | www.designerwaterfeatures.com.au

Pots and Urns





















	DESCRIPTION		DIMENSIONS (CM)
	Gentong Small	Stone Natural	W50xH40
	Gentong Medium	Stone Natural	W60xH50
	Gentong Large	Stone Natural	W70xH60
	Gentong XLarge	Stone Natural	W70xH80
	Gentong XXLarge	Stone Natural	WI08xH68
	Gentong XXXLarge	Stone Natural	W97xH97
	Gentong Small	Stone Charcoal	W50xH40
	Gentong Medium	Stone Charcoal	W60xH50
	Gentong Large	Stone Charcoal	W70xH60
	Gentong XLarge	Stone Charcoal	W70xH80
	Gentong XXLarge	Stone Charcoal	WI08xH68
	Gentong XXXLarge	Stone Charcoal	W97xH97
	Kotak Rectangular	Stone Charcoal	W80xH40xD40
	Kotak Medium	Stone Charcoal	W40xH50
1	Kotak large	Stone Charcoal	W50xH60
	Kendang Small	Stone Charcoal	W34xH60
	Kendang Medium	Stone Charcoal	W34xH80
	Kendang Large	Stone Charcoal	W34xHI00
	Kendang XLarge	Stone Charcoal	W34xHI20
	Kotak Pot Small (Black ,Grey, White)	Lite Weight	W70xH35xD30
	Kotak Pot Medium (Black ,Grey, White)	Lite Weight	W90xH45xD40
	Kotak Pot Large (Black ,Grey, White)	Lite Weight	W110xH55xD48
	Stone Ball Small	Stone Charcoal/Natural	30
	Stone Ball Medium	Stone Charcoal/Natural	50
	Stone Ball Large	Stone Charcoal/Natural	70
24	Egg Chair (Black ,White)	Terrazzo	W80xL65cm

2	Stone Bench Seat Small	Stone Charcoal	WI20xH45
	Stone Bench Seat Medium	Stone Charcoal	WI50xH45
	Stone Bench Seat Large	Stone Charcoal	WI80xH45
	Firepit Small	Iron	W70xH35xD30
	Firepit Medium	Iron	W90xH45xD40
	Firepit Large	Iron	W110xH55xD48
	Pond Stone 60cm	Stone Charcoal	60x60x25
7	Pond Stone 90cm	Stone Charcoal	90x90x25
	Pond Stone I 20cm	Stone Charcoal	20x 20x25

www.designerwaterfeatures.com.au | PH 02 9679 9680

BETTA BLOCK 100mm Series

This quality, near vertical retaining wall system is a great do it yourself solution. No concrete footings are needed and they are flexible. You can achieve anything from 90° corners, steps, straight and even curved walls.

DESCRIPTION	CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	QTY	PALLET QTY
100 Standard Block	10-01 BB	390	90	190		216
100 3/4 Block	10-02	290	90	190		240
100 1/2 Block	10-03 BB	190	90	190		432
100 1/4 Block	10-04	90	90	190		720
100 Corner Return	10-25	390	90	190		120
100 Solid	10-31 BB	390	90	190		180
100 half high	10-71 BB	390	90	90		180




190

390

10.71

Hollow - half high




BETTA BLOCK 150mm Series


This quality, near vertical retaining wall system is a great do it yourself solution. No concrete footings are needed and they are flexible. You can achieve anything from 90° corners, steps, straight and even curved walls.

DESCRIPTION	CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	QTY	PALLET QTY
150 Standard Block	15-01 BB	390	140	190		144
150 3/4 Block	15-02 BB	290	140	190		160
150 Lintel Block	15-12	390	140	190		120
150 Knockout Bond Beam	15-20 BB	390	140	190		144
150 Corner Return	15-25	390	140	190		105
150 Stop End	15-41 BB	390	140	190		144
150 1/2 block	15-43 BB	190	140	190		216
150 Cleanout	15-45 BB	390	140	190		144
150 H block	15-48 BB	390	140	190		144
150 1/2 half high	15-71 BB	390	140	90		288






15.01 Hollow - full length




15.41 Closed end




15.02 Hollow - three quarter




15.43 Closed end - half




15.12 Lintel




Clean-out stretcher




15.20 Knock-out bond beam



15.48 'H' block



15.25 Hollow - corner return




15.71 Hollow - half high

BETTA BLOCK 200mm Series


This quality, near vertical retaining wall system is a great do it yourself solution. No concrete footings are needed and they are flexible. You can achieve anything from 90° corners, steps, straight and even curved walls.

DESCRIPTION	CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	QTY	PALLET QTY
200 Standard Block	20-01 BB	390	190	190		108
200 3/4 Block	20-02 BB	290	190	190		144
200 Lintel Block	20-12	390	190	190		90
200 Knockout Bond Beam	20-20 BB	390	190	190		108
200 Stop End Block	20-41 BB	390	190	190		108
200 Top Groove Block	20-42 BB	390	190	190		108
200 1/2 Stop End Block	20-43 BB	190	190	190		216
200 Cleanout	20-45 BB	390	190	190		108
200 H block	20-48 BB	390	190	190		108
200 Half High	20-71 BB	390	190	90		216
200 Capping Block	50-31 NAT	390	195	40		288





20.01








Hollow - three quarter



20.12 Lintel



20.20


Knock-out bond beam

190

390

20.41

Closed end





190 390 190

20.42 Channel



20.43 Closed end - half






Clean-out stretcher




190

390 20.48

'H' block



20.71 Half high




50.31 200mm capping tile

BETTA BLOCK 300mm Series


This quality, near vertical retaining wall system is a great do it yourself solution. No concrete footings are needed and they are flexible. You can achieve anything from 90° corners, steps, straight and even curved walls.

DESCRIPTION	CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	QTY	PALLET QTY
300 Stop End Block	30-41 BB	390	290	190		72
300 Top Groove Block	30-42 BB	390	290	190		72
300 H block	30-48 BB	390	290	190		72
300 Half High	30-71 BB	390	290	90		144






30.41 Closed end




30.42

Top groove



30.48 'H' block





30.71 Half high

LOCKBLOCK


This is a lightweight, do it yourself, alternative to concrete blocks. Each Lockblock has self locating connectors making them easy to lay. Perfect for retaining walls, fences and privcacy walls, Use with SRW Adhesive.

DESCRIPTION	CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	QTY	PALLET QTY
Lock Block Double U	LB 20-91	398	190	198	12.5 /m²	90
Lock Block End/Corner	LB 20-92	390	190	198		90
Lock Block Half	LB 20-93	190	190	198	25 /m²	180





Lock Block Half





SRW ADHESIVE

Build your walls with SRW Adhesive instead of mortar and you'll save TIME & MONEY. SRW Adhesive is a rapid-set polyurethane adhesive formulated to permanently bond concrete masonry block structures.

DESCRIPTION	CODE	SIZE
SRW - ADHESIVE	SRW - ADH 10	10 oz
SRW - ADHESIVE	SRW - ADH 29	29 oz



- ✓ Fastest set-up time on the market!
- ✓ High temperature adhesive suitable for firepits
- \checkmark For use on dry or damp surfaces
- ✓ Premium, long lasting strength
- ✓ Interior/exterior use
- ✓ Specially formulated for use on construction and landscape projects







visit our showroom for more...

www.masonryandslate.com.au | 98 Richmond Rd, Blacktown | PH 02 9679 9680